



ORANGE COUNTY HEALTH CARE AGENCY
 REGULATORY/MEDICAL HEALTH SERVICES
 ENVIRONMENTAL HEALTH

RETAIL FOOD FACILITY INSPECTION REPORT

FACILITY NAME OMOI SUSHI		FACILITY ADDRESS 16353 HARBOR BLVD, FOUNTAIN VALLEY, CA 92708	
MAILING ADDRESS 16353 HARBOR BLVD, FOUNTAIN VALLEY, CA 92708			IDENTIFIER: None
C/O - OWNER IJ LEE INC			RESULT: CLOSED
FACILITY ID FA0000987	RELATED ID PR0000987	SERVICE: A01 - ROUTINE INSPECTION	INSPECTION DATE 6/14/2018
PE 0131 - RESTAURANT UNDER 31 PERSONS - COMPLEX		FOOD MANAGER CERTIFICATE / EXPIRATION DATE S. LEE - 8/23/2020	REINSPECTION DATE: N/A

Based on an inspection this day, the compliance status (IN, MAJ, MIN, OUT, N/A, N/O, COS) has been identified below. Violations noted as MAJ, MIN or OUT must be corrected. Failure to correct the listed violation(s) prior to the designated compliance date may necessitate a reinspection at an additional fee. See the following page(s) for the California Health and Safety code sections and other applicable codes for the general requirements that correspond to the violation(s) noted below.

IN = In Compliance N/A = Not Applicable N/O = Not Observed MAJ = Major MIN = Minor OUT = Out of Compliance COS = Corrected on Site

CRITICAL RISK FACTORS

IN	MAJ	MIN	N/A	N/O	EMPLOYEE KNOWLEDGE	COS
●					1. Demonstration of knowledge	
●					2. Food manager certification; food handler cards	
EMPLOYEE HEALTH & HYGIENIC PRACTICES						
●					3. Communicable disease; reporting, restrictions & exclusions	
●					4. No discharge from eyes, nose, and mouth	
●					5. Proper eating, tasting, drinking or tobacco use	
PREVENTING CONTAMINATION BY HANDS						
		●			6. Hands clean and properly washed; gloves used properly	
		●			7. Adequate handwashing facilities supplied & accessible	
TIME AND TEMPERATURE RELATIONSHIPS						
●					8. Proper hot and cold holding temperatures	
●					9. Time as a public health control; procedures & records	
	●				10. Proper cooling methods	
				●	11. Proper cooking time & temperatures	
				●	12. Proper reheating procedures for hot holding	

IN	MAJ	MIN	N/A	N/O	PROTECTION FROM CONTAMINATION	COS
●					13. Returned and reserve of food	
●					14. Food in good condition, safe and unadulterated	
				●	15. Food contact surfaces: clean and sanitized	
FOOD FROM APPROVED SOURCES						
●					16. Food obtained from approved source	
				●	17. Compliance with shell stock tags, condition, display	
				●	18. Compliance with Gulf Oyster Regulations	
ADDITIONAL CRITICAL RISK FACTORS						
				●	19. Compliance with variance, specialized process, & HACCP Plan	
				●	20. Consumer advisory provided for raw or undercooked foods	
				●	21. Licensed health care facilities/public & private schools: prohibited foods not offered	
	●				22. Hot and cold water available	
●					23. Sewage and wastewater properly disposed	
●					24. No rodents, insects, birds, or animals	

GOOD RETAIL PRACTICES

OUT	SUPERVISION	COS
	25. Person in charge present and performs duties	
	26. Personal cleanliness and hair restraints	
GENERAL FOOD SAFETY REQUIREMENTS		
	27. Approved thawing methods used, frozen food	
	28. Food separated and protected	
	29. Washing fruits and vegetables	
●	30. Toxic substances properly identified, stored, used	
FOOD STORAGE/DISPLAY/SERVICE		
	31. Food storage: food storage containers identified	
	32. Consumer self-service	
	33. Food properly labeled & honestly presented	

OUT	EQUIPMENT/UTENSILS/LINENS	COS
	34. Nonfood contact surfaces clean	
	35. Warewashing facilities: installed, maintained, used; test strips	
●	36. Equipment/Utensils approved; installed; good repair, capacity	
	37. Equipment, utensils and linens: storage and use	
●	38. Adequate ventilation and lighting; designated areas, use	
●	39. Thermometers provided and accurate	
	40. Wiping cloths: properly used and stored	
PHYSICAL FACILITIES		
●	41. Plumbing: proper backflow devices	
	42. Garbage and refuse properly disposed; facilities maintained	
●	43. Toilet facilities: properly constructed, supplied, cleaned	
●	44. Premises; personal/cleaning items; vermin-proofing	

OUT	PERMANENT FOOD FACILITIES	COS
●	45. Floor, walls, ceilings: built, maintained, and clean	
	46. No unapproved private homes/living or sleeping quarters	
SIGNS/REQUIREMENTS		
	47. Signs posted; last inspection report available	
	48. Plan Review	
	49. Health Permit	
COMPLIANCE AND ENFORCEMENT		
●	50. Permit Suspension - Imminent Health Hazard	
	51. Notice of Violation - Hearing	
	52. Permit Suspension	
●	53. Voluntary Condemnation & Destruction (VC&D)	
	54. Impoundment	
	55. Sample Collected	



RETAIL FOOD FACILITY INSPECTION REPORT

FACILITY NAME OMOI SUSHI	DATE 6/14/2018
LOCATION 16353 HARBOR BLVD. FOUNTAIN VALLEY, CA 92708	RELATED ID PR0000987

OPENING COMMENTS

THIS REPORT SUPERSEDES THE PRINTED REPORT PROVIDED ONSITE

The purpose of this visit is to conduct a routine inspection.

6. HANDS CLEAN AND PROPERLY WASHED; GLOVES USED PROPERLY

Inspector Comments:

Observed an employee rinsing their hands in the food preparation sink. Discontinue this practice. Conduct all hand washing practices only at designated hand wash sinks.

Violation Description: Employees are required to wash their hands with soap and warm water for a minimum of 10 seconds: before beginning work; before handling food / equipment / utensils; as often as necessary, during food preparation, to remove soil and contamination; when switching from working with raw to ready-to-eat foods, after touching body parts; after using toilet room; or any time when contamination may occur. Food employees shall minimize contact with exposed, ready-to-eat food with their bare hands and shall use suitable utensils, gloves, or dispensing equipment. Food employees shall keep their fingernails clean. Gloves shall be worn if a food employee has artificial nails, nail polish, rings, or orthopedic support devices. (113952, 113953.3, 113953.4, 113961, 113968, 113973 [b-f])

7. ADEQUATE HANDWASHING FACILITIES SUPPLIED & ACCESSIBLE

Inspector Comments:

1. Hand soap was unavailable in the dispenser at the hand washing station in the kitchen. Provide and maintain handwashing soap in dispensers at, or adjacent to, all handwashing facilities.

2. Observed cups and soiled utensils stored in the hand wash sink. Discontinue this practice. Maintain the hand wash sink easily accessible.

Violation Description: Handwashing facilities must be provided. Handwashing soap and single-use towels or drying device shall be provided in dispensers; dispensers shall be maintained in good repair. Handwashing facilities shall be clean, unobstructed, and accessible. (113953, 113953.1, 113953.2, 114067)

10. PROPER COOLING METHODS

Inspector Comments:

1. Observed a plastic wrapped plate of rice measuring 47F and stored in the 3-door upright cooler. An employee stated that the rice had been stored in the 3-door cooler the previous night for cooling.

2. Observed a large container of cooked chicken measuring 52F and stored in the 3-door upright cooler. An employee stated that the chicken had been placed in the cooler the previous night for cooling.

Discontinue improperly cooling potentially hazardous foods.

The violation was corrected by an employee discarding the food. Refer to item 53.

Education was provided on proper cooling methods.

Violation Description: All potentially hazardous foods shall be RAPIDLY cooled from 135°F to 41°F within 6 hours. During this time, the food shall decrease from 135°F to 70°F within 2 hours. Cooling shall be accomplished by using one or more of the following methods: placing in shallow pans, separating into smaller portions, using rapid cooling equipment, using ice, or other approved methods. (114002, 114002.1)



RETAIL FOOD FACILITY INSPECTION REPORT

FACILITY NAME OMOI SUSHI	DATE 6/14/2018
LOCATION 16353 HARBOR BLVD. FOUNTAIN VALLEY, CA 92708	RELATED ID PR0000987

22. HOT AND COLD WATER AVAILABLE

Inspector Comments:

Hot water is unavailable throughout the facility. The hot running water was measured at 80F at all sink fixtures throughout the facility. Provide hot water of at least 120F as required. Hand wash sinks require warm water of at least of 100F.

The health permit was suspended due to this violation.

NOTE: Employees stated that the hot water heater was inoperable. A call was placed by the person in charge at the time of the inspection to have a service technician dispatched to the facility.

Violation Description: An adequate, protected, pressurized, potable supply of hot water and cold water shall be provided at all times. (113941, 113953c, 114099.2b, 114163, 114189, 114192, 114192.1, 114195)

30. TOXIC SUBSTANCES PROPERLY IDENTIFIED, STORED, USED

Inspector Comments:

Observed a bottle of glass cleaner stored alongside equipment/utensils at the front preparation area. Maintain chemicals separate from food and equipment/utensil storage areas.

Violation Description: All poisonous substances, detergents, bleaches, and cleaning compounds shall be stored separate from food, utensils, packaging materials, and food-contact surfaces, and shall be used in an approved manner. (114254, 114254.1, 114254.2)

36. EQUIPMENT/UTENSILS - APPROVED; INSTALLED; GOOD REPAIR; CAPACITY

Inspector Comments:

1. Observed unapproved crates used to store utensils above the beverage dispensing unit. In addition, observed unapproved crates used to store raw onions in the dry storage room. Discontinue using unapproved containers. Provide approved durable, washable, and cleanable working containers with lids.

2. Observed a leak under the upright display cooler in the kitchen. Repair the refrigeration unit to eliminate the leak.

3. The storage racks in the dry storage room are not elevated to an approved height due to the heavy weight on the bottom shelving. Replace the storage racks or elevate the storage racks up on either 6" round metal legs, 4" heavy duty caster wheels, or a dunnage rack to allow thorough and easy cleaning beneath it.

Violation Description: All utensils and equipment shall be fully operative and in good repair. All utensils and equipment shall be approved, installed properly, and meet applicable standards. (114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114130.6, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182)

38. ADEQUATE VENTILATION AND LIGHTING; DESIGNATED AREAS, USE

Inspector Comments:

Observed accumulated grease on the hood filters. Clean the hood filters in an approved manner.

Violation Description: Exhaust hoods shall be provided to remove toxic gases, heat, grease, vapors, and smoke and be approved by the local building department. Canopy-type hoods shall extend 6" beyond all cooking equipment. All areas shall have sufficient ventilation to facilitate proper food storage. Toilet rooms shall be vented to the outside air by a screened openable window, an air shaft, or a light-switch activated exhaust fan, consistent with local building codes. Adequate lighting shall be provided in all areas to facilitate cleaning and inspection. Light fixtures in areas where open food is stored, served, prepared, and where utensils are washed shall be of shatterproof construction or protected with light shields. (114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1)



RETAIL FOOD FACILITY INSPECTION REPORT

FACILITY NAME OMOI SUSHI	DATE 6/14/2018
LOCATION 16353 HARBOR BLVD. FOUNTAIN VALLEY, CA 92708	RELATED ID PR0000987

39. THERMOMETERS PROVIDED AND ACCURATE

Inspector Comments:

A probe thermometer was not available for use during the time of inspection.

Violation Description: An accurate, easily readable metal probe thermometer suitable for measuring temperature of food shall be available. A thermometer +/- 2°F shall be provided for each hot and cold holding unit of potentially hazardous foods and high temperature warewashing machines. (114157, 114159)

41. PLUMBING; PROPER BACKFLOW DEVICES

Inspector Comments:

1. Observed a leak from the food preparation sink fixture.
2. Observed a leak from the 3-compartment sink fixture.

Repair the fixtures to eliminate the leaks.

Violation Description: The potable water supply shall be protected with a backflow protection device, as required by applicable plumbing codes. All plumbing, plumbing fixtures, and grease interceptors shall be installed in compliance with local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair. Any hose used for conveying potable water shall be of approved materials, labeled, properly stored, and used for no other purpose. (14171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269)

43. TOILET FACILITIES: PROPERLY CONSTRUCTED, SUPPLIED, CLEANED

Inspector Comments:

Toilet paper was not provided in the dispenser at the restroom. Provide toilet tissue in a permanently installed dispensers at each toilet.

Violation Description: Toilet facilities shall be maintained clean, sanitary, and in good repair. Toilet rooms shall be separated by a well-fitting self-closing door. Toilet tissue shall be provided in a permanently installed dispenser at each toilet. The number of toilet facilities shall be in accordance with local building and plumbing ordinances. Toilet facilities shall be provided for patrons: in establishments where there is onsite consumption of food; with more than 20,000 sq ft.; establishments offering on-site liquor consumption. (114250, 114250.1, 114276)

44. PREMISES: PERSONAL/CLEANING ITEMS; VERMIN-PROOFING

Inspector Comments:

Observed an employee beverage cup next to the beverage dispensing unit. Maintain employee food, beverages, clothing and personal effects in a room, enclosure, lockers, or other designated area or designated area separated from toilets, food storage, food preparation areas and utensil washing areas.

Violation Description: The premises of each food facility shall be kept clean and free of litter and rubbish; non-food items shall be stored and displayed separate from food and food-contact surfaces; the facility shall be kept vermin proof; open-air barbecues shall be operated in an approved manner. (114067(j), 114123, 114143(a)&(b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282)



ORANGE COUNTY HEALTH CARE AGENCY
REGULATORY/MEDICAL HEALTH SERVICES
ENVIRONMENTAL HEALTH

RETAIL FOOD FACILITY INSPECTION REPORT

FACILITY NAME OMOI SUSHI	DATE 6/14/2018
LOCATION 16353 HARBOR BLVD. FOUNTAIN VALLEY, CA 92708	RELATED ID PR0000987

45. FLOORS, WALLS AND CEILINGS: BUILT, MAINTAINED, AND CLEAN

Inspector Comments:

Observed accumulated dirt, food debris, grime, food residues, and/or grease in the following areas:

- floor surfaces under/behind the beer dispensing unit
- floor surfaces under/behind the ice machine
- floor surfaces under all upright coolers and freezers in the kitchen
- floor surfaces throughout the dry storage room.
- floor surfaces under the dish machine
- floor surfaces behind the water heater

Clean all affected floor surfaces.

Violation Description: The walls / ceilings shall have durable, smooth, nonabsorbent, light-colored, and washable surfaces. All floor surfaces, other than the customer service areas, shall be approved, smooth, durable, and made of nonabsorbent material that is easily cleanable. Approved base coving shall be provided in all areas, except customer service areas and where food is stored in original unopened containers. Food facilities shall be fully enclosed. All food facilities shall be kept clean and in good repair. (114143(d), 114266, 114268, 114268.1, 114271, 114272)



RETAIL FOOD FACILITY INSPECTION REPORT

FACILITY NAME OMOI SUSHI	DATE 6/14/2018
LOCATION 16353 HARBOR BLVD. FOUNTAIN VALLEY, CA 92708	RELATED ID PR0000987

50. PERMIT SUSPENSION - IMMINENT HEALTH HAZARD

Inspector Comments:
IMMEDIATE HEALTH PERMIT SUSPENSION AND CLOSURE

The permit to operate the above named food facility is hereby temporarily suspended, and the facility is ordered immediately closed under the authority of Sections 114405 and 114409 of Division 104, Part 7, Chapter 13, Article 3 of the California Health and Safety Code. The attached Inspection Report specifies the conditions that warrant this closure and the Sections of the law that are being violated.

Any food facility for which the permit has been temporarily suspended shall cease all food handling, close and remain closed until all conditions warranting the closure are corrected and your permit has been reinstated by a representative of Environmental Health.

You are hereby notified that you have the right to request a hearing, within 15 calendar days after service of this Notice to show cause why the permit suspension is not warranted. Your failure to request a hearing within 15 calendar days shall be deemed a waiver of your right to a hearing.

An owner, manager or operator who fails to comply with this Closure Notice may be found guilty of a misdemeanor, with a possible fine of \$1,000.00 and/or imprisonment for not more than six months for each offense.

This Health Permit Suspension and Closure Notice is issued to you under the authority of the California Health and Safety Code, Division 104, Part 7, Chapter 13, Article 3. Copies of the Code Sections referred to herein may be reviewed at most public libraries, the Internet, or at Environmental Health.

Contact this office at the number noted above, during normal days of business to request a re-inspection, or if you have any questions.

If you are calling after 5:00 pm or on weekends, leave a message at (714) 433-6418 and an inspector/on call staff will call you back at their earliest convenience. Please make after hour request calls before 8:00 pm. The afterhours overtime rate through June 30, 2018 is \$44.63 per quarter hour, or fraction thereof; time charged includes all travel time.

The CLOSED notification seal was issued this date.

REASON FOR CLOSURE: LACK OF HOT WATER THROUGHOUT THE FACILITY

Violation Description: If an imminent health hazard is found, an enforcement officer may temporarily suspend the permit and order the food facility immediately closed. (114409)

53. VOLUNTARY CONDEMNATION & DESTRUCTION (VC&D)

Inspector Comments:
 The following foods were discarded during this inspection:
 - white rice; < 1 lb.
 - cooked chicken; approximately 10 lbs.

Violation Description: Food, equipment, or utensils that are found to be unsanitary or in disrepair may be Voluntarily Condemned and Destroyed by the person in charge. (111890, 111895)



RETAIL FOOD FACILITY INSPECTION REPORT

FACILITY NAME OMOI SUSHI	DATE 6/14/2018
LOCATION 16353 HARBOR BLVD. FOUNTAIN VALLEY, CA 92708	RELATED ID PR0000987

SIGNATURE(S) OF ACKNOWLEDGEMENT

It was agreed that a copy of this report will be sent to the e-mail address provided. The person in charge was directed to call this office if the report is not received within 2 business days. Additional information can be found at <http://www.ochealthinfo.com/eh/>.

NAME:P. CHUNG
 TITLE:GENERAL MANAGER

Signing for the receipt of the above report is not an admission of the facts of the violations set forth herein.

INSPECTOR:

 J RUIZ, REHS
 ENVIRONMENTAL HEALTH SPEC I
 (657)250-5634
 Jruiz@ochca.com

Did you know that effective January 1, 2018, the California Health and Safety Code was amended to make it easier for food facilities to donate food? Please consider donating your excess food/product to a local food bank, pantry, or soup kitchen. As a good faith food donor, you are protected from civil and criminal liability if the food product later causes harm to its recipient, unless the injury is a direct result of your gross negligence or intentional misconduct in the preparation or handling of the donated food. See Section 1714.25 of the Civil Code and Sections 114432 to 114434, inclusive, of the Health and Safety Code. For more information, please visit ocfoodinfo.com or wastenotoc.org.