



REGULATORY/MEDICAL HEALTH SERVICES
ENVIRONMENTAL HEALTH

RETAIL FOOD FACILITY INSPECTION REPORT

FACILITY NAME MUNCHIES DINER		FACILITY ADDRESS 515 N MAIN ST, SANTA ANA, CA 92701	
MAILING ADDRESS 301 E JEANETTE LANE APT 131 SANTA ANA, CA 92701		IDENTIFIER None	
C/O - OWNER MUNCHIES OC LLC		RESULT CLOSED	
FACILITY ID FA0074268	RELATED ID PR0103294	SERVICE: A01 - ROUTINE INSPECTION	INSPECTION DATE 1/22/2020
PROGRAM DESCRIPTION 0111 - RESTAURANT UNDER 31 PERSONS - NON-COMPLE		FOOD MANAGER CERTIFICATE / EXPIRATION DATE R. Acosta 6-21-23	REINSPECTION DATE: N/A

Based on an inspection this day, the compliance status (IN, MAJ, MIN, N/A, N/O, OUT, COS) has been identified below. Violations noted as MAJ, MIN or OUT must be corrected. Failure to correct the listed violation(s) prior to the designated compliance date may necessitate a reinspection at an additional fee. See the following page(s) for the California Health and Safety code sections and other applicable codes for the general requirements that correspond to the violation(s) noted below.

IN = In Compliance MAJ = Major MIN = Minor N/A = Not Applicable N/O = Not Observed OUT = Out of Compliance COS = Corrected on Site

CRITICAL RISK FACTORS

IN	MAJ	MIN	N/A	N/O		COS
		●			EMPLOYEE KNOWLEDGE	
					1. Demonstration of knowledge	
●					2. Food manager certification; food handler cards	
					EMPLOYEE HEALTH & HYGIENIC PRACTICES	
●					3. Communicable disease; reporting, restrictions & exclusions	
●					4. No discharge from eyes, nose, and mouth	
●					5. Proper eating, tasting, drinking or tobacco use	
					PREVENTING CONTAMINATION BY HANDS	
●					6. Hands clean and properly washed; gloves used properly	
●					7. Adequate handwashing facilities supplied & accessible	
					TIME AND TEMPERATURE RELATIONSHIPS	
	●				8. Proper hot and cold holding temperatures	
			●		9. Time as a public health control; procedures & records	
	●				10. Proper cooling methods	
				●	11. Proper cooking time & temperatures	
				●	12. Proper reheating procedures for hot holding	

IN	MAJ	MIN	N/A	N/O		COS
●					PROTECTION FROM CONTAMINATION	
●					13. Returned and reservice of food	
●					14. Food in good condition, safe and unadulterated	
●					15. Food contact surfaces: clean and sanitized	
					FOOD FROM APPROVED SOURCES	
●					16. Food obtained from approved source	
					17. Compliance with shell stock tags, condition, display	
			●		18. Compliance with Gulf Oyster Regulations	
					ADDITIONAL CRITICAL RISK FACTORS	
			●		19. Compliance with variance, specialized process, & HACCP Plan	
			●		20. Consumer advisory provided for raw or undercooked foods	
			●		21. Licensed health care facilities/public & private schools: prohibited foods not offered	
	●				22. Hot and cold water available	
●					23. Sewage and wastewater properly disposed	
●					24. No rodents, insects, birds, or animals	

GOOD RETAIL PRACTICES

OUT		COS
	SUPERVISION	
	25. Person in charge present and performs duties	
	26. Personal cleanliness and hair restraints	
	GENERAL FOOD SAFETY REQUIREMENTS	
●	27. Approved thawing methods used, frozen food	
	28. Food separated and protected	
	29. Washing fruits and vegetables	
	30. Toxic substances properly identified, stored, used	
	FOOD STORAGE/DISPLAY/SERVICE	
	31. Food storage; food storage containers identified	
	32. Consumer self-service	
	33. Food properly labeled & honestly presented	

OUT		COS
	EQUIPMENT/UTENSILS/LINENS	
	34. Nonfood contact surfaces clean	
	35. Warewashing facilities: installed, maintained, used; test strips	
●	36. Equipment/Utensils approved; installed; good repair, capacity	
	37. Equipment, utensils and linens: storage and use	
	38. Adequate ventilation and lighting; designated areas, use	
	39. Thermometers provided and accurate	
	40. Wiping cloths: properly used and stored	
	PHYSICAL FACILITIES	
●	41. Plumbing: proper backflow devices	
	42. Garbage and refuse properly disposed; facilities maintained	
	43. Toilet facilities: properly constructed, supplied, cleaned	
	44. Premises: personal/cleaning items; vermin-proofing	

OUT		COS
	PERMANENT FOOD FACILITIES	
	45. Floor, walls, ceilings: built, maintained, and clean	
	46. No unapproved private homes/living or sleeping quarters	
	SIGNS/REQUIREMENTS	
	47. Signs posted; last inspection report available	
	48. Plan Review	
	49. Health Permit	
	COMPLIANCE AND ENFORCEMENT	
●	50. Permit Suspension - Imminent Health Hazard	
	51. Notice of Violation - Hearing	
	52. Permit Suspension	
	53. Voluntary Condemnation & Destruction (VC&D)	
	54. Impoundment	
	55. Sample Collected	



RETAIL FOOD FACILITY INSPECTION REPORT

FACILITY NAME MUNCHIES DINER	DATE 1/22/2020
LOCATION 515 N MAIN ST, SANTA ANA, CA 92701	RELATED ID PR0103294

OPENING COMMENTS

The purpose of this visit is to respond to a complaint CO0072457 received by this Agency. The complaint alleges that, there is no hot water in the facility. The complaint was discussed with G. Nibarger, owner who was not aware of the complaint. Upon arrival the hot water measured 68F throughout the facility. The health permit is temporarily suspended until hot water of 120F is provided. See violations noted below.

A routine inspection was also conducted.

1. DEMONSTRATION OF KNOWLEDGE - MINOR

Inspector Comments: Employee's lacked knowledge on proper food temperature holding and proper rapid cooling of potentially hazardous foods. Refer to violations noted below

Violation Description: All food employees, including the person in charge, shall have adequate knowledge of and be trained in food safety as it relates to their assigned duties. (113947)

8. PROPER HOT AND COLD HOLDING TEMPERATURES - MAJOR

Inspector Comments: The following foods were measured at the respective temperatures:

On the hot holding units located next to the cooking equipment: tofu: 99F; grilled onions: 99F; veggie meat: 97F; black beans: 99F

The person in charge stated that the food had been held for: less than 2 hours.

Corrective Action: The above food was reheated to 165F.

Violation Description: Potentially hazardous foods shall be held at or below 41°F or at or above 135°F. (113996, 113998, 114037)

10. PROPER COOLING METHODS - MAJOR

Inspector Comments: A deep plastic container of cooked tofu measured 48F and a second deep plastic container of sauce made with cooked beets measured 60F inside the upright cooler located across from the cooking equipment.

The person in charge stated that both items were made less than 2 hours prior.

Corrective Action: Both food items were separated into smaller portions and left open to allow proper cooling.

Violation Description: All potentially hazardous foods shall be RAPIDLY cooled from 135°F to 41°F within 6 hours. During this time, the food shall decrease from 135°F to 70°F within 2 hours. Cooling shall be accomplished by using one or more of the following methods: placing in shallow pans, separating into smaller portions, using rapid cooling equipment, using ice, or other approved methods. (114002, 114002.1)

22. HOT AND COLD WATER AVAILABLE - MAJOR

Inspector Comments: The hot water measured 68F throughout the facility. Provide hot water of 120F.

Hand wash sinks require 100F. If the temperature of water provided to a handwashing sink is not readily adjustable at the faucet, the temperature of the water shall be at least 100°F, but not greater than 108°F.

Violation Description: An adequate, protected, pressurized, potable supply of hot water and cold water shall be provided at all times. (113941, 113953c, 114099.2b, 114163, 114189, 114192, 114192.1, 114195)

27. APPROVED THAWING METHODS USED, FROZEN FOOD - OUT OF COMPLIANCE

Inspector Comments: Veggie patties were observed thawing at ambient temperature.

Violation Description: Food shall be thawed under refrigeration; completely submerged under cold running water of sufficient velocity to flush loose particles; in a microwave oven; during the cooking process. (114018, 114020)



RETAIL FOOD FACILITY INSPECTION REPORT

FACILITY NAME MUNCHIES DINER	DATE 1/22/2020
LOCATION 515 N MAIN ST, SANTA ANA, CA 92701	RELATED ID PR0103294

36. EQUIPMENT/UTENSILS - APPROVED; INSTALLED; GOOD REPAIR; CAPACITY - OUT OF COMPLIANCE

Inspector Comments: Both "True" upright coolers were observed directly on the floor. Elevate the coolers up on either 6" round metal legs, 4" heavy duty caster wheels, or a dunnage rack to allow thorough and easy cleaning beneath it.

Violation Description: All utensils and equipment shall be fully operative and in good repair. All utensils and equipment shall be approved, installed properly, and meet applicable standards. (114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114130.6, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182)

41. PLUMBING; PROPER BACKFLOW DEVICES - OUT OF COMPLIANCE

Inspector Comments: One out of two tankless water heaters was initially disconnected and/or in disrepair. Repair and/or replace the water heater.

Violation Description: The potable water supply shall be protected with a backflow protection device, as required by applicable plumbing codes. All plumbing, plumbing fixtures, and grease interceptors shall be installed in compliance with local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair. Any hose used for conveying potable water shall be of approved materials, labeled, properly stored, and used for no other purpose. (14171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269)

50. PERMIT SUSPENSION - IMMINENT HEALTH HAZARD

Inspector Comments: IMMEDIATE HEALTH PERMIT SUSPENSION AND CLOSURE

The permit to operate the above named food facility is hereby temporarily suspended, and the facility is ordered immediately closed under the authority of Sections 114405 and 114409 of Division 104, Part 7, Chapter 13, Article 3 of the California Health and Safety Code. The attached Inspection Report specifies the conditions that warrant this closure and the Sections of the law that are being violated.

Any food facility for which the permit has been temporarily suspended shall cease all food handling, close and remain closed until all conditions warranting the closure are corrected and your permit has been reinstated by a representative of Environmental Health.

You are hereby notified that you have the right to request a hearing, within 15 calendar days after service of this Notice to show cause why the permit suspension is not warranted. Your failure to request a hearing within 15 calendar days shall be deemed a waiver of your right to a hearing.

An owner, manager or operator who fails to comply with this Closure Notice may be found guilty of a misdemeanor, with a possible fine of \$1,000.00 and/or imprisonment for not more than six months for each offense.

This Health Permit Suspension and Closure Notice is issued to you under the authority of the California Health and Safety Code, Division 104, Part 7, Chapter 13, Article 3. Copies of the Code Sections referred to herein may be reviewed at most public libraries, the Internet, or at Environmental Health.

Contact this office at the number noted on this report, during normal days of business to request a re-inspection, or if you have any questions.

If you are calling after 5:00 pm or on weekends, leave a message at (714) 433-6418 and an inspector/on call staff will call you back at their earliest convenience. Please make after hour request calls before 8:00 pm. The afterhours overtime rate through June 30, 2020 is \$45.75 per quarter hour, or fraction thereof; time charged includes all travel time.

The CLOSED notification seal was issued this date.

REASON FOR CLOSURE: No hot water throughout the facility.

Violation Description: If an imminent health hazard is found, an enforcement officer may temporarily suspend the permit and order the food facility immediately closed. (114409)

SIGNATURE(S) OF ACKNOWLEDGEMENT

It was agreed that a copy of this report will be sent to the e-mail address provided. The person in charge was directed to call this office if the report is not received within 2 business days. Additional information can be found at <http://www.ochealthinfo.com/eh/>.



RETAIL FOOD FACILITY INSPECTION REPORT

FACILITY NAME MUNCHIES DINER	DATE 1/22/2020
LOCATION 515 N MAIN ST, SANTA ANA, CA 92701	RELATED ID PR0103294

NAME: E. Galvan
TITLE:

Signing for the receipt of the above report is not an admission of the facts of the violations set forth herein.

INSPECTOR:

L NIEVES, REHS
ENVIRONMENTAL HEALTH SPEC III
(714) 824-9891
lnieves@ochca.com

Did you know that effective January 1, 2018, the California Health and Safety Code was amended to make it easier for food facilities to donate food? Please consider donating your excess food/product to a local food bank, pantry, or soup kitchen. As a good faith food donor, you are protected from civil and criminal liability if the food product later causes harm to its recipient, unless the injury is a direct result of your gross negligence or intentional misconduct in the preparation or handling of the donated food. See Section 1714.25 of the Civil Code and Sections 114432 to 114434, inclusive, of the Health and Safety Code. For more information, please visit ocfoodinfo.com or wastenotoc.org.