



RETAIL FOOD FACILITY INSPECTION REPORT

FACILITY NAME YUMMY YUMMY		FACILITY ADDRESS 92 CORPORATE PARK B, IRVINE, CA 92606		
MAILING ADDRESS 92 CORPORATE PARK STE B IRVINE, CA 92606		IDENTIFIER None		
C/O - OWNER ZHANGWEI XU		RESULT CLOSED		
FACILITY ID FA0063745	RELATED ID PR0093016	SERVICE: C01 - COMPLAINT INVESTIGATION - INITIAL		INSPECTION DATE 3/26/2019
PROGRAM DESCRIPTION 0132 - RESTAURANT 31-60 PERSONS - COMPLEX		FOOD MANAGER CERTIFICATE / EXPIRATION DATE None on File		REINSPECTION DATE: N/A

Items noted below were observed during the course of this inspection. Any violations observed must be corrected. Failure to correct the listed violation(s) prior to the designated compliance date may necessitate a reinspection at an additional fee.

OPENING COMMENTS

This report supersedes the previous report

This is a Response to sewage overflow report from OCHCA, (CO0070302)

On arrival sewage was overflowing from the grease trap at the back door into the planter. No sewage was observed flowing into the street or any storm drains.

A plumbing contractor on site during the time of the inspection, immediately stopped the flow of sewage/grease.

Spoke to Amy, person in charge, who stated a grease trap clean up service was in route.

Prior to reopening, clean and sanitize the affected areas;

- concrete pavement by the back door
- in the planter by the back door:
 - a) Remove the spill
 - b) Dispose of this collected mulch/spill in plastic waste bag.
 - c) Turn over top soil at regular intervals for the following two days so as to expose the remaining soil to UV light.

Ensure no sewage is continuing to back up prior to calling for a reopening.

23. SEWAGE AND WASTEWATER PROPERLY DISPOSED - MAJOR

Inspector Comments: Observed an overflow of sewage from the grease trap by the back door onto the pavement sidewalk and into the planter across from the back door. No sewage was observed running into the streets or any storm drains. For this reason, the facility was closed.

Prior to reopening refer to the instructions in the opening comments.

Violation Description: All liquid waste must drain to an approved fully functioning sewage disposal system; toilets shall be operable. (114197)



RETAIL FOOD FACILITY INSPECTION REPORT

FACILITY NAME YUMMY YUMMY	DATE 3/26/2019
LOCATION 92 CORPORATE PARK B. IRVINE. CA 92606	RELATED ID PR0093016

50. PERMIT SUSPENSION - IMMINENT HEALTH HAZARD

Inspector Comments: IMMEDIATE HEALTH PERMIT SUSPENSION AND CLOSURE

The permit to operate the above named food facility is hereby temporarily suspended, and the facility is ordered immediately closed under the authority of Sections 114405 and 114409 of Division 104, Part 7, Chapter 13, Article 3 of the California Health and Safety Code. The attached Inspection Report specifies the conditions that warrant this closure and the Sections of the law that are being violated.

Any food facility for which the permit has been temporarily suspended shall cease all food handling, close and remain closed until all conditions warranting the closure are corrected and your permit has been reinstated by a representative of Environmental Health.

You are hereby notified that you have the right to request a hearing, within 15 calendar days after service of this Notice to show cause why the permit suspension is not warranted. Your failure to request a hearing within 15 calendar days shall be deemed a waiver of your right to a hearing.

An owner, manager or operator who fails to comply with this Closure Notice may be found guilty of a misdemeanor, with a possible fine of \$1,000.00 and/or imprisonment for not more than six months for each offense.

This Health Permit Suspension and Closure Notice is issued to you under the authority of the California Health and Safety Code, Division 104, Part 7, Chapter 13, Article 3. Copies of the Code Sections referred to herein may be reviewed at most public libraries, the Internet, or at Environmental Health.

Contact this office at the number noted above, during normal days of business to request a re-inspection, or if you have any questions.

If you are calling after 5:00 pm or on weekends, leave a message at (714) 433-6418 and an inspector/on call staff will call you back at their earliest convenience. Please make after hour request calls before 8:00 pm. The afterhours overtime rate through June 30, 2019 is \$45.75 per quarter hour, or fraction thereof; time charged includes all travel time.

The CLOSED notification seal was issued this date.

REASON FOR CLOSURE: sewage overflow

Violation Description: If an imminent health hazard is found, an enforcement officer may temporarily suspend the permit and order the food facility immediately closed. (114409)

SIGNATURE(S) OF ACKNOWLEDGEMENT

NAME:
TITLE:



RETAIL FOOD FACILITY INSPECTION REPORT

FACILITY NAME YUMMY YUMMY	DATE 3/26/2019
LOCATION 92 CORPORATE PARK B. IRVINE, CA 92606	RELATED ID PR0093016

Signing for the receipt of the above report is not an admission of the facts of the violations set forth herein.

INSPECTOR:

E COSTLOW
ENVIRONMENTAL HEALTH SPECIALIST
(714) 714-2736
ECostlow@ochca.com

Did you know that effective January 1, 2018, the California Health and Safety Code was amended to make it easier for food facilities to donate food? Please consider donating your excess food/product to a local food bank, pantry, or soup kitchen. As a good faith food donor, you are protected from civil and criminal liability if the food product later causes harm to its recipient, unless the injury is a direct result of your gross negligence or intentional misconduct in the preparation or handling of the donated food. See Section 1714.25 of the Civil Code and Sections 114432 to 114434, inclusive, of the Health and Safety Code. For more information, please visit ocfoodinfo.com or wastenotoc.org.